



PAREKH METAL WORKS

HOUSE OF INDUSTRIAL VALVES

C - 35, 36, Pushkar Industrial Park, Anil Starch Road, Sarsapur, Ahmedabad - 380 018. Gujarat.
Mobile: 99798 93384 | www.pmwvalves.com | E MAIL : info@pmwvalves.com


PRICE LIST



CAST IRON BALL VALVE 1 PIECE SCREWED END

**CAST IRON BALL VALVE SCREWED
END ONE PIECE DESIGN FULL PORT
WITH S.S. 304 BALL RENEWABLE
TEFLON SEAT AND SEAL
(EXTRA HEAVY)**

Tested Hyd. 30 kg. / cm² (450 lbs)



Size in mm	Size in Inch	Price in Rs.
15MM	1/2"	230.00
20MM	3/4"	290.00
25MM	1"	330.00
32MM	1 1/4"	525.00
40MM	1 1/2"	620.00
50MM	2"	870.00
65 MM	2 1/2"	1610.00
80 MM	3"	2090.00
100 MM	4"	4000.00

SIZE	15	20	25	32	40	50	65	80	100
F TO F	65	75	85	92	105	120	135	150	175

CAST IRON BALL VALVE 1 PIECE FLANGED END

**CAST IRON BALL VALVE FLANGED END
ONE PIECE DESIGN FULL PORT
ASA 150# WITH S.S. 304 BALL
RENEWABLE TEFLON SEAT AND SEAL
FLANGED TO ASA 150# / "F" TABLE UN DRILLED
(EXTRA HEAVY)**

Tested Hyd. 30 kg. / cm² (450 lbs)



Size in mm	Size in Inch	Price in Rs.
15MM	1/2"	P.O.R.
20MM	3/4"	P.O.R.
25MM	1"	870.00
40MM	1 1/2"	1350.00
50MM	2"	1840.00
65MM	2 1/2"	2600.00
80 MM	3"	3300.00
100 MM	4"	5000.00

SIZE	15	20	25	40	50	65	80	100
F/F	108	118	127	165	178	190	203	229
F / T	11	13	14	14	16	17	19	24
O / D	96	102	121	140	165	184	203	229

CAST IRON BALL VALVE 3 PIECE FLANGED END

**CAST IRON BALL VALVE FLANGED
END THREE PIECE DESIGN FULL PORT
ASA 150# WITH S.S. 304 BALL
RENEWABLE TEFLON SEAT AND SEAL
FLANGED TO ASA 150# DRILLED
(EXTRA HEAVY)**

Tested Hyd. 30 kg. / cm² (450 lbs)



Size in mm	Size in Inch	Price in Rs.
15MM	1/2"	720.00
20MM	3/4"	760.00
25MM	1"	890.00
40MM	1 1/2"	1400.00
50MM	2"	1860.00
65MM	2 1/2"	2920.00
80 MM	3"	3500.00
100 MM	4"	5360.00
125 MM	5"	12880.00
150 MM	6"	13590.00
200 MM	8"	28500.00

ASA - 150

SIZE	F/F	R/F	F/T	O/D	HOLE	PCD	HOLE Ø
15	108	35	11	89	4	60	16
20	118	43	13	98	4	70	16
25	127	51	14	108	4	79	16
40	165	73	14	127	4	98	16
50	178	92	16	152	4	121	19
65	190	105	17	178	4	140	19
80	203	127	19	190	4	152	19
100	229	157	24	229	8	190	22
125	254	186	24	254	8	216	22
150	267	216	25	279	8	241	22
200	292	270	29	343	8	296	22

PRIMARY SERVICE RATING & TEST PRESSURE


CLASS	WORKING PRESS	HYD. TEST PRESSURE		
		BODY	SEAT	TEMP.
150	150 PSIG	425 PSIG	300 PSIG	200° PSIG
300	300 PSIG	1100 PSIG	750 PSIG	200° PSIG

AIR TEST-SEAT 102 PSIG

CAST STEEL (WCB) BALL VALVE 3 PIECE FLANGED END

**CAST STEEL (WCB GR 216) BALL VALVE
FLANGED END THREE PIECE DESIGN
FULL PORT ASA 150# WITH S.S. 304 BALL
RENEWABLE TEFLON SEAT AND SEAL
FLANGED TO ASA 150# DRILLED.
EXTRA HEAVY**

Tested Hyd. 40 kg. / cm² (450 lbs)



Size in mm	Size in Inch	Price in Rs.
15MM	1/2"	890.00
20MM	3/4"	990.00
25MM	1"	1010.00
40MM	1 1/2"	1800.00
50MM	2"	2560.00
65MM	2 1/2"	3800.00
80 MM	3"	4810.00
100 MM	4"	7840.00
125 MM	5"	POR
150 MM	6"	POR
200 MM	8"	POR

ASA - 150

SIZE	F/F	R/F	F/T	O/D	HOLE	PCD	HOLE Ø
15	108	35	11	89	4	60	16
20	118	43	13	98	4	70	16
25	127	51	14	108	4	79	16
40	165	73	14	127	4	98	16
50	178	92	16	152	4	121	19
65	190	105	17	178	4	140	19
80	203	127	19	190	4	152	19
100	229	157	24	229	8	190	22
125	254	186	24	254	8	216	22
150	267	216	25	279	8	241	22
200	292	270	29	343	8	296	22

PRIMARY SERVICE RATING & TEST PRESSURE


CLASS	WORKING PRESS	HYD. TEST PRESSURE		
		BODY	SEAT	TEMP.
150	150 PSIG	425 PSIG	300 PSIG	200° PSIG
300	300 PSIG	1100 PSIG	750 PSIG	200° PSIG

AIR TEST-SEAT 102 PSIG

INVESTMENT CASTING CF8 (304) BALL VALVE 3 PIECE FLANGED END

**INVESTMENT CASTING BALL VALVE FLANGED
END THREE PIECE DESIGN FULL PORT SQUARE
BODY ASA 150# CF8 (304) WITH S.S. 304 BALL
RENEWABLE TEFLON SEAT AND SEAL
FLANGED TO ASA 150# DRILLED.**

Tested Hyd. 40 kg. / cm² (450 lbs)



Size in mm	Size in Inch	Price in Rs.
15MM	1/2"	P.O.R
20MM	3/4"	P.O.R
25MM	1"	1950.00
40MM	1 1/2"	3300.00
50MM	2"	4800.00
65MM	2 1/2"	7000.00
80 MM	3"	8950.00
100 MM	4"	13600.00
125 MM	5"	P.O.R
150 MM	6"	P.O.R
200 MM	8"	POR

ASA - 150

SIZE	F/F	R/F	F/T	O/D	HOLE	PCD	HOLE Ø
15	108	35	11	89	4	60	16
20	118	43	13	98	4	70	16
25	127	51	14	108	4	79	16
40	165	73	14	127	4	98	16
50	178	92	16	152	4	121	19
65	190	105	17	178	4	140	19
80	203	127	19	190	4	152	19
100	229	157	24	229	8	190	22
125	254	186	24	254	8	216	22
150	267	216	25	279	8	241	22
200	292	270	29	343	8	296	22

PRIMARY SERVICE RATING & TEST PRESSURE

CLASS	WORKING PRESS	HYD. TEST PRESSURE		
		BODY	SEAT	TEMP.
150	150 PSIG	425 PSIG	300 PSIG	200° PSIG
300	300 PSIG	1100 PSIG	750 PSIG	200° PSIG

AIR TEST-SEAT 102 PSIG


C - 35, 36, Pushkar Industrial Park, Anil Starch Road, Sarsapur, Ahmedabad - 380 018. Gujarat.

Mobile: 99798 93384 | www.pmwvalves.com | E MAIL : info@pmwvalves.com

INVESTMENT CASTING CF8M (316) BALL VALVE 3 PIECE FLANGED END

INVESTMENT CASTING BALL VALVE FLANGED END THREE PIECE DESIGN FULL PORT SQUARE BODY ASA 150# CF8M (316) WITH S.S. 316 BALL RENEWABLE TEFLON SEAT AND SEAL FLANGED TO ASA 150# DRILLED.

Tested Hyd. 40 kg. / cm² (450 lbs)



Size in mm	Size in Inch	Price in Rs.
15MM	1/2"	P.O.R
20MM	3/4"	P.O.R
25MM	1"	2350.00
40MM	1 1/2"	4050.00
50MM	2"	5900.00
65MM	2 1/2"	8900.00
80 MM	3"	10950.00
100 MM	4"	16800.00
125 MM	5"	P.O.R
150 MM	6"	P.O.R
200 MM	8"	POR

ASA - 150

SIZE	F/F	R/F	F/T	O/D	HOLE	PCD	HOLE Ø
15	108	35	11	89	4	60	16
20	118	43	13	98	4	70	16
25	127	51	14	108	4	79	16
40	165	73	14	127	4	98	16
50	178	92	16	152	4	121	19
65	190	105	17	178	4	140	19
80	203	127	19	190	4	152	19
100	229	157	24	229	8	190	22
125	254	186	24	254	8	216	22
150	267	216	25	279	8	241	22
200	292	270	29	343	8	296	22

PRIMARY SERVICE RATING & TEST PRESSURE

CLASS	WORKING PRESS	HYD. TEST PRESSURE		
		BODY	SEAT	TEMP.
150	150 PSIG	425 PSIG	300 PSIG	200° PSIG
300	300 PSIG	1100 PSIG	750 PSIG	200° PSIG
AIR TEST-SEAT 102 PSIG				

C - 35, 36, Pushkar Industrial Park, Anil Starch Road, Sarsapur, Ahmedabad - 380 018. Gujarat.

Mobile: 99798 93384 | www.pmwvalves.com | E MAIL : info@pmwvalves.com

CAST STEEL WAFER TYPE CHECK VALVE

CAST CARBON STEEL WAFER TYPE CHECK VALVE WITH M.S. FLAP & S.S SPRING HEAVY DUTY



Size in mm	Size in Inch	Price in Rs.
40MM	1 1/2"	500.00
50MM	2"	520.00
65MM	2 1/2"	650.00
80 MM	3"	780.00
100 MM	4"	1040.00
125 MM	5"	1300.00
150 MM	6"	1560.00
200 MM	8"	3390.00
250 MM	10"	5240.00
300 MM	12"	7090.00

SIZE	50	65	80	100	125	150	200	250	300
I / D	30	40	52	71	93	114	157	195	230
F / F	14	14	14	14	16	19	28	28	38
O / D	109	129	144	164	164	220	275	330	380

PRIMARY SERVICE RATING & TEST PRESSURE

CLASS	WORKING TEMP.	HYD. TEST PRESSURE	
		BODY	SEAT
150 PSIG	20°C TO 180°C	225 PSIG	150 PSIG



(Parekh Metal Works)

PAREKH METAL WORKS

HOUSE OF INDUSTRIAL VALVES

C - 35, 36, Pushkar Industrial Park, Anil Starch Road, Sarsapur, Ahmedabad - 380 018. Gujarat.

Mobile: 99798 93384 | www.pmwvalves.com | E MAIL : info@pmwvalves.com



CAST IRON BODY S.G. IRON / S.S. 304/316
DISC NITRILE SEATED BUTTERFLY VALVE
LEVER OPERATED / GEAR OPERATED

PRIMARY SERVICE RATING & TEST PRESSURE			
CLASS	WORKING TEMP.	HYD. TEST PRESSURE	
		BODY	SEAT
150 PSIG	-10°C TO +80°C	348 PSIG	232 PSIG

SIZE (MM)	CI BODY S.G. IRON DISC LEVER OPERATED	CI BODY S.S. 304 DISC LEVER OPERATED	CI BODY S.S. 316 DISC LEVER OPERATED
40	700	800	900
50	790	890	920
65	970	1110	1170
80	1110	1340	1420
100	1420	1820	1960
125	1720	2400	2630
150	2140	3050	3370
200	3840	6070	6840
250	5760	P.O.R	P.O.R
300	7370	P.O.R	P.O.R


SIZE	50	65	80	100	125	150	200	250	300
F / F	43	45	46	52	54	56	60	68	78

TERMS AND CONDITIONS

VALIDITY : 30 DAYS
PRICES : EX WORKS AHMEDABAD
P&F : @ 1.5% EXTRA APPLICABLE
TAXES : @ 5 % VAT EXTRA / 2% CST EXTRA AGAINST "C" FORM

KNIFE EDGE GATE VALVE:

**S.G. IRON | W.C.B | S.S. 304 BODY S.S. 304 GATE ,
METAL TO METAL HAND WHEEL OPRATED
KNIFE EDGE GATE VALVE.**



SIZE (IN)	SIZE (MM)	S.G IRON BODY 304 GATE	W.C.B BODY 304 GATE	S.S. 304 BODY 304 GATE
2"	50	X	7500	8250
2½"	65	X	7750	8500
3"	80	7750	8000	9500
4"	100	11000	12250	17500
5"	125	13625	14500	19125
6"	150	16250	17250	21250
8"	200	21375	22175	33750
10"	250	30750	33250	42500
12"	300	35000	38750	58750
14"	350	52500	56500	82500
16"	400	X	82500	107500
18"	450	X	102500	152500
20"	500	X	147500	212500


PRIMARY SERVICE RATING & TEST PRESSURE

CLASS	WORKING PRESSURE	TEMP.	HYD. TEST PRESSURE	
			BODY	SEAT
150	150 PSIG (21 Kg/Cm ²)	200° F	425 PSIG	40 PSIG

IN	2"	2½"	3"	4"	5"	6"	8"	10"	12"	14"	16"	18"	20"
SIZE	50	65	80	100	125	150	200	250	300	350	400	450	500
F/F	51	51	51	55	57	57	70	70	76	76	90	90	114

**PMW****PAREKH METAL WORKS****(Parekh Metal Works)****HOUSE OF INDUSTRIAL VALVES****C - 35, 36, Pushkar Industrial Park, Anil Starch Road, Sarsapur, Ahmedabad - 380 018. Gujarat.****Mobile: 99798 93384 | www.pmwvalves.com | E MAIL : info@pmwvalves.com**

SPHERICAL DISC BUTTERFLY VALVE




SIZE (IN)	SIZE (MM)	S.S 304 LEVER OPRATED	S.S 316 LEVER OPRATED	C S WCB BODY DISK 304 LEVER OPRATED
1 1/2"	40	5660	6420	4400
2"	50	6420	7350	4920
2 1/2"	65	8420	9800	6320
3"	80	10800	12600	8090
4"	100	14000	15650	9860
5"	125	18130	21490	13270
6"	150	24050	28740	17290
8"	200	34200	40800	25400

TESTING

PRESSURE RATING	HYDROSTATING SHELL TEST		HYDROSTATING SEAT TEST	
	kg/CM2	PSI	kg/CM2	PSI
PN 10	15	210	10	140

IN	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"
SIZE	40	50	65	80	100	125	150	200
F / F	42	45	48	48	54	57	57	63

**PMW****PAREKH METAL WORKS****(Parekh Metal Works)****HOUSE OF INDUSTRIAL VALVES****C - 35, 36, Pushkar Industrial Park, Anil Starch Road, Sarsapur, Ahmedabad - 380 018. Gujarat.****Mobile: 99798 93384 | www.pmwvalves.com | E MAIL : info@pmwvalves.com**

SPHERICAL DISC BUTTERFLY VALVE GEAR OPERATED

SIZE (IN)	SIZE (MM)	S.S 304 GEAR OPERATED	S.S 316 GEAR OPERATED	C S WCB BODY DISK 304 GEAR OPERATED
8"	200	39550	46060	30660
10"	250	63580	74620	49980
12"	300	93030	109130	71790
14"	350	144270	170000	97790
16"	400	219520	265970	158800
18"	450	262920	318750	188790
20"	500	323190	391430	239980
24"	600	456330	555560	336860

TESTING

IN	8"	10"	12"	14"	PRESSURE RATING	HYDROSTATING SHELL TEST		HYDROSTATING SEAT TEST	
SIZE	200	250	300	350		kg/CM2	PSI	kg/CM2	PSI
F / F	70	70	76	76		15	210	10	140